



# Enclosures

Ready-to-order enclosures for distribution and control systems, for example CATV, TELCO, Optical Fiber networks, CCTV, gas and electricity distribution, traffic and railway regulation etc.

Simply **more**  
- more simply





# **A** wide range of opportunities to save installation time

Quality in materials and manufacturing processes is only a part of the explanation behind Triax's position as a leading European supplier of enclosures for distribution and control systems. Cutting installation time and eliminating problems with access to connections and components is a more invisible quality, ensured by the numerous details that have been developed and refined since Triax from 1968 focused on being a leading, specialized manufacturer of enclosures.

## **Expressions of “best practice”**

Almost all Triax enclosures have been developed in close cooperation with installers and system operators. Many of the designs have been gradually refined on the basis of feedback from customers, and our standard models today represent “best practice” within their respective application area.

## **Standard is special in terms of customer value**

Using a standard enclosure has many advantages in addition to the proven practical design. Minimizing costs is not unessential, although cabinet costs often are only a small fraction of the costs of the content protected by the enclosure. Availability is another benefit, and although not all our ready-to-order enclosures are in stock, they can all be delivered within a few weeks and in the quantity you need.

## **Enclosures for distribution and control systems**

Our ready-to-order program includes indoor and outdoor enclosures for, for example

- CATV, TELCO and optical fiber networks
- Gas and electricity distribution systems
- Control systems for traffic and railway regulation
- Security systems and closed-circuit TV systems
- Pump control units in water distribution systems
- Industrial automation systems
- Other applications, where you need efficient and sturdy protection of control systems and components



Our in- and outdoor enclosures are available in many different dimensions, with alternative backboards and mounting systems, ample ventilation, hidden air slots and different locking systems.

**Indoor wall cabinets with reversible door and backboard**

Ideal for MDU (Multi Distribution Unit) and - with brackets for Krone LSA - also for TELCO use.



**Outdoor wall cabinets for CATV and TELCO installations**

Series 11 with hinged door and with earth post and spade terminal provided inside and cable entries at the bottom. Alternative backboards available.



**Unique quality cabinets for CATV and TELCO equipment**

Series 35SA with insulated top cover preventing condensation and with backboards in water resistant chipboard clad with aluminium as an option. Many dimensions, all with root for in-ground installation.



**Outdoor cabinets with lift-off lid ensuring easy access**

Series 33 with 3-sided galvanized backboard and available with long root or with flanges for concrete plinth.



**Kiosks for communication equipment and with all the options you may want**

Kiosk enclosures in different sizes, available with alternative backboards and with different root types, different locking and security systems and other relevant options.



**Flexible enclosure also for traffic regulation equipment**

Kiosk 700 available with 19" racking, galvanized backboard and shelves.



**Standard colours**

Grey (RAL 7037),  
Green (Similar to RAL 6014)



# Cost-saving quality



Moisture, extreme temperatures, salt and – sometimes – people can be tough aggressors to enclosures and their content. Triax enclosures are built as long-lasting protection. From installations in Iceland's extreme temperatures to others in Scandinavia, Europe and the densely populated cities of the Middle East our customers tell us, that even after 20-25 years the enclosures still efficiently protect their content.

## 10-step coating process ensures durability


The 80 µm polyester coating protects the enclosure with a perfectly cured and pore free surface. Coating is applied in a fully automated 10-step process securing efficient pre-treatment as well as uniform quality. Automation furthermore minimizes the costs of the process, so the benefits of durable coating are combined with competitiveness.

The effect of durability is cost-savings: If contained components or systems are damaged, the costs are often severe and even after many years in operation, the disturbance will be unexpected as well as expensive. The expected long lifetime of Triax enclosures is ensured by both a detailed quality control and an extreme care in our choice of materials.



## High grade steel covered with zinc


Our enclosures are manufactured of special high grade galvanized steel with a low content of carbon and an extremely smooth "skin passed surface". The steel sheet is covered with 20 µm zinc followed by a coating that provides a robust and lasting anti-corrosive sealing.




# Surface Treatment

## Efficient quality control from raw materials to distribution

The quality of the coating process is continuously checked with grid cuts, bending and boiling water tests and control of layer thickness. Triax's quality control of course covers not only the coating process. Every step in the production of enclosures is monitored, from careful inspection of the applied components and raw materials to safe packaging and distribution of the individual enclosure. Triax is an ISO 9001 certified manufacturer.



- Bath 1** Alkaline degreasing, cleaning and cutting up the surface
- Bath 2** Rinsing in water
- Bath 3** Phosphating
- Bath 4** Rinsing in water
- Bath 5** Chromating
- Bath 6** Chrome passivation
- Bath 7** Washing in demineralized water
- Step 8** Drying in oven
- Step 9** Electrostatic spraying of polyester powder
- Step 10** Curing in burn-in oven



## Quality advice will save you time and money

In our wide range of ready-to-order enclosures, you can find a time-saving and durable solution to almost any application and need. If the enclosure required is not



included in the Triax range of ready-to-order enclosures shown in this brochure, you will find more information about our possibilities to design and manufacture enclosures to your exact specifications in the Custom Design Enclosures brochure. For a copy of this brochure or more information please look at our website: [www.com.triax.com](http://www.com.triax.com) or contact your local Triax office, and get clear answers to your questions on selection of the right enclosure.




# Wall Cabinets

Indoor wall cabinets with reversible door and backboard. Ideal for MDU and TELCO use. Lock to be ordered separately.

## Features




- Ideal for MDU use
- Different locking systems available (to be ordered separately)
- Round corners
- Reversible door
- Wooden backboard
- Easy mounting
  1. Fix the backboard on to the wall
  2. Do the installation
  3. Hook on the cabinet
  4. Twist the 4 brackets in the corners to mount the cabinet to the backboard



| TYPE                       |               | WC 66-C            | WC 66-B            | WC 66-A            | WC 66-A1           |
|----------------------------|---------------|--------------------|--------------------|--------------------|--------------------|
| Partnumber                 | RAL 7037 Grey | 266350             | 266392             | 266602             | 266706             |
| Indoor/Outdoor             |               | Indoor             | Indoor             | Indoor             | Indoor             |
| Steel type cabinet         | mm            | 1.0 Galvanized     | 1.0 Galvanized     | 1.0 Galvanized     | 1.0 Galvanized     |
| Overall dimensions         |               |                    |                    |                    |                    |
| Height outside             | H mm          | 250                | 334                | 500                | 700                |
| Width outside              | W mm          | 350                | 390                | 600                | 500                |
| Depth outside              | D mm          | 165                | 165                | 165                | 220                |
| Mounting volume            |               |                    |                    |                    |                    |
| Height                     | mm            | 200                | 284                | 450                | 650                |
| Width                      | mm            | 300                | 340                | 550                | 450                |
| Depth                      | mm            | 149                | 149                | 149                | 170                |
| Backboard - Part No.       |               | included           | included           | included           | included           |
| Height                     | mm            | 16 mm              | 16 mm              | 16 mm              | 16 mm              |
| Width                      | mm            | chipboard          | chipboard          | chipboard          | chipboard          |
| Depth                      | mm            |                    |                    |                    |                    |
| Plastic housing lock types |               |                    |                    |                    |                    |
| - with Ruko 205            | part no.      | 251317             | 251317             | 251317             | 251317             |
| - with Ruko 207            | part no.      | 251322             | 251322             | 251322             | 251322             |
| - with Triangular lock     | part no.      | 251316             | 251316             | 251316             | 251316             |
| Locking system             |               | Single cam         | Single cam         | Single cam         | Single cam         |
| Lock protection            |               | Protection flap    | Protection flap    | Protection flap    | Protection flap    |
| Number of doors            |               | 1                  | 1                  | 1                  | 1                  |
| Door type                  |               | Hinged, reversible | Hinged, reversible | Hinged, reversible | Hinged, reversible |
| Compartments               |               | 1                  | 1                  | 1                  | 1                  |
| Door earthed               |               | No                 | No                 | No                 | No                 |
| Earthing point in cabinet  |               | No                 | No                 | No                 | No                 |
| Packing                    |               | Carton box         | Carton box         | Carton box         | Carton box         |
| Weight                     | kg            | 4.0                | 5.4                | 10.0               | 12.6               |
| Number per pallet          | pcs           | 50                 | 30                 | 20                 | 10                 |

# Wall Cabinets

Steel-backboard with pop-up brackets  
for Krone LSA in type I-II-III.  
Lock to be ordered separately.



| TYPE                       |               | WC I<br>50 pairs                             | WC II<br>100 pairs                           | WC III<br>3 x 100 pairs                      | WC IV<br>2 x 200 pairs      | WC V<br>3 x 200 pairs       | WC VI<br>4 x 300 pairs      |
|----------------------------|---------------|--|--|--|-----------------------------|-----------------------------|-----------------------------|
| Partnumber                 | RAL 7037 Grey | 251300                                       | 251303                                       | 251305                                       | 251307                      | 251309                      | 251311                      |
| Indoor/Outdoor             |               | Indoor                                       | Indoor                                       | Indoor                                       | Indoor                      | Indoor                      | Indoor                      |
| Steel type cabinet         | mm            | 1.0 Galvanized                               | 1.0 Galvanized                               | 1.0 Galvanized                               | 1.0 Galvanized              | 1.0 Galvanized              | 1.0 Galvanized              |
| Overall dimensions         |               |  |  |  |                             |                             |                             |
| Height outside             | H mm          | 250  | 365  | 365  | 610                         | 610                         | 860                         |
| Width outside              | W mm          | 220  | 220  | 550  | 390                         | 550                         | 720                         |
| Depth outside              | D mm          | 135  | 135  | 165  | 165                         | 165                         | 165                         |
| Mounting volume            |               | 50 pairs                                     | 100 pairs                                    | 3 x 100 pairs                                | 2 x 200 pairs               | 3 x 200 pairs               | 4 x 300 pairs               |
| Height                     | mm            |  |  |  |                             |                             |                             |
| Width                      | mm            |  |  |  |                             |                             |                             |
| Depth                      | mm            |  |  |  |                             |                             |                             |
| Backboard - Part No.       |               |  |  |  |                             |                             |                             |
| Height                     | mm            | Stainles steel with pop-up brackets included | Stainles steel with pop-up brackets included | Stainles steel with pop-up brackets included | 1.5 mm galv. steel included | 1.5 mm galv. steel included | 1.5 mm galv. steel included |
| Width                      | mm            |  |  |  |                             |                             |                             |
| Depth                      | mm            |  |  |  |                             |                             |                             |
| Plastic housing lock types |               |  |  |  |                             |                             |                             |
| - with Ruko 205            | part no.      | 251317                                       | 251317                                       | 251317                                       | 251317                      | 251317                      | 251317                      |
| - with Ruko 207            | part no.      | 251322                                       | 251322                                       | 251322                                       | 251322                      | 251322                      | 251322                      |
| - with Triangular lock     | part no.      | 251316                                       | 251316                                       | 251316                                       | 251316                      | 251316                      | 251316                      |
| Locking system             |               | Single cam                                   | Single cam                                   | Single cam                                   | Single cam                  | Single cam                  | Single cam                  |
| Lock protection            |               | Protection flap                              | Protection flap                              | Protection flap                              | Protection flap             | Protection flap             | Protection flap             |
| Number of doors            |               | 1  | 1  | 1  | 1                           | 1                           | 1                           |
| Door type                  |               | Hinged, reversible                           | Hinged, reversible                           | Hinged, reversible                           | Hinged, reversible          | Hinged, reversible          | Hinged, reversible          |
| Compartments               |               | 1  | 1  | 1  | 1                           | 1                           | 1                           |
| Door earthed               |               | No   | No   | No   | No                          | No                          | No                          |
| Earthing point in cabinet  |               | No   | No   | No   | No                          | No                          | No                          |
| Packing                    |               | Carton box                                   | Carton box                                   | Carton box                                   | Foam                        | Foam                        | Foam                        |
| Weight                     | kg            | 2.3  | 3.1  | 6.3  | 11.0                        | 13.5                        | 21.0                        |
| Number per pallet          | pcs           | 50   | 50   | 25   | 20                          | 20                          | 15                          |





# MDU - Wall Cabinets

Indoor wall cabinets with steel backboard.  
Cable entries in top and bottom.  
Ideal for MDU, CATV and TELCO use.

## Features

- Ideal for MDU use
- 2 EMKA locks
- Steel mounting backboard with pop-up brackets for taps, splitters and pouyet connectors available
- Wooden backboard also available




| TYPE                      |                     | MDU 8<br>Lock Box | MDU 16<br>Lock Box | MDU 32<br>Lock Box |
|---------------------------|---------------------|-------------------|--------------------|--------------------|
| Partnumber                | RAL 7035 Light grey | 251000            | 251005             | 251010             |
| Indoor/Outdoor            |                     | Indoor            | Indoor             | Indoor             |
| Steel type cabinet        | mm                  | 1.5 Steel         | 1.5 Steel          | 1.5 Steel          |
| Overall dimensions        |                     |                   |                    |                    |
| Height outside            | H mm                | 370               | 490                | 660                |
| Width outside             | W mm                | 270               | 320                | 440                |
| Depth outside             | D mm                | 180               | 180                | 180                |
| Mounting volume           |                     |                   |                    |                    |
| Height                    | mm                  | 325               | 445                | 615                |
| Width                     | mm                  | 250               | 300                | 420                |
| Depth                     | mm                  | 160               | 160                | 160                |
| Backboard w. brackets     | Part No.            | 717405            | 717415             | 717425             |
| Height                    | mm                  | 325               | 445                | 615                |
| Width                     | mm                  | 250               | 300                | 420                |
| Depth                     | mm                  | 15                | 15                 | 15                 |
| Backboard - Chipboard     | Part No.            | 717407            | 717417             | 717427             |
| Height                    | mm                  | 325               | 445                | 615                |
| Width                     | mm                  | 250               | 300                | 420                |
| Depth                     | mm                  | 15                | 15                 | 15                 |
| Lock types                |                     |                   |                    |                    |
| EMKA-1000-xx              | pcs                 | 2 (included)      | 2 (included)       | 2 (included)       |
| Locking system            |                     | 2 single cam      | 2 single cam       | 2 single cam       |
| Lock protection           |                     | 2 teardrop        | 2 teardrop         | 2 teardrop         |
| Number of doors           |                     | 1                 | 1                  | 1                  |
| Door type                 |                     | Cabinet cover     | Cabinet cover      | Cabinet cover      |
| Compartments              |                     | 1                 | 1                  | 1                  |
| Door earthed              |                     | Yes               | Yes                | Yes                |
| Earthing point in cabinet |                     | Yes               | Yes                | Yes                |
| Cable entries             | pcs                 | 2 top/2 bottom    | 2 top/2 bottom     | 3 top/3 bottom     |
| Packing                   |                     | Plastic           | Plastic            | Foam               |
| Weight                    | kg                  | 7.2               | 10.0               | 15.6               |
| Number per pallet         | pcs                 | 40                | 24                 | 10                 |

# 11S - Outdoor Wall Cabinets

with 3-point security locking system and backboard.  
Earthing point and cable entries in bottom.  
Ideal for MDU, CATV and TELCO use.

## Features



- Suitable for installation of CATV and TELCO products
- Keyhole slot in each corner for easy wall mounting
- 3-point security locking system
- Safety lock protected by teardrop
- Stay hook on door
- Earth strap from cabinet body to door
- Earth post and spade terminal provided inside the cabinet
- Cable entries at the base with cover plates
- Backboards available in various materials



| TYPE                      |               | 11S 6            | 11S 8            | 11S 10           |
|---------------------------|---------------|------------------|------------------|------------------|
| Partnumber                | RAL 7037 Grey | 160622           | 160822           | 160922           |
| Indoor/Outdoor            |               | Outdoor          | Outdoor          | Outdoor          |
| Steel type cabinet        | mm            | 1.5 Galvanized   | 1.5 Galvanized   | 1.5 Galvanized   |
| Overall dimensions        |               |                  |                  |                  |
| Height outside            | H mm          | 600              | 800              | 940              |
| Width outside             | W mm          | 396              | 516              | 790              |
| Depth outside             | D mm          | 240              | 240              | 325              |
| Mounting volume           |               |                  |                  |                  |
| Height                    | mm            | 447              | 660              | 742              |
| Width                     | mm            | 330              | 450              | 670              |
| Depth                     | mm            | 220              | 220              | 305              |
| Backboard - Part No.      |               |                  |                  |                  |
| 10 mm chipboard           | No.           | 160690           | 160890           | 164460           |
| 16 mm chipboard           | No.           |                  |                  |                  |
| 10 mm chipboard w/alu     | No.           | 160693           |                  |                  |
| 16 mm chipboard w/alu     | No.           |                  |                  | 164461           |
| 1.5 mm steel (Ø5.5)       | No.           | 160692           | 160893           | 160992           |
| 1.5 mm steel (Star mesh)  | No.           | 160691           | 160891           | 160991           |
| Lock types                |               |                  |                  |                  |
| EMKA-1000-U205-01         | part no.      | 1 (included)     | 1 (included)     | 1 (included)     |
| Locking system            |               | 3 point security | 3 point security | 3 point security |
| Lock protection           |               | Teardrop         | Teardrop         | Teardrop         |
| Number of doors           |               | 1                | 1                | 1                |
| Door type                 |               | Hinged           | Hinged           | Hinged           |
| Compartments              |               | 1                | 1                | 1                |
| Door earthed              |               | Yes              | Yes              | Yes              |
| Earthing point in cabinet |               | Yes              | Yes              | Yes              |
| Cable entries             | pcs           | 3 in bottom      | 4 in bottom      | 7 in bottom      |
| Packing                   |               | Carton box       | Carton box       | Carton box       |
| Weight                    | kg            | 14.4             | 23.0             | 40.0             |
| Number per pallet         | pcs           | 40               | 20               | 8                |



# 19" Compact cabinets



## Features

- Perfect for MATV/SMATV headends
- Easy installation
- Cable entries at both sides
- Earthing facilities inside the cabinet
- Backboard: Chipboard clad with aluminium
- 19" swing rack
- Prepared for fans in both sides
- Accessible from the front and left hand side
- EMKA safety lock
- Adjustable feet (wheels are optional)
- The cabinet can be extended by removing the top cover and adding an extra cabinet on top.

| TYPE                             |                |            | TCC 19" Cabinet with glass door incl. backboard | TCC 19" Cabinet with steel door incl. backboard |
|----------------------------------|----------------|------------|---|---|
| Partnumber                       | RAL 7035       | Light grey | 251493  | 251494  |
| Indoor/Outdoor                   |                |            | Indoor  | Indoor  |
| Overall dimensions               |                |            |   |   |
|                                  | Height outside | mm         | 1100  | 1100  |
|                                  | Width outside  | mm         | 650   | 650   |
|                                  | Depth outside  | mm         | 450   | 450   |
| Max. depth in 19" rack           |                |            | 300   | 300   |
| Backboard type                   |                |            | Clipboard                                       | Clipboard                                       |
| Backboard dimensions (H x W x D) |                |            | 940 x 550 x 16                                  | 940 x 550 x 16                                  |
| Units in 19" rack (44.45 mm)     |                |            | 21  | 21  |
| Lock type EMKA 1000-U205-01      |                |            | 1   | 1   |
| Locking system                   |                |            | Single cam                                      | Single cam                                      |
| Ventilation slots                |                |            | in front door                                   | in front door                                   |
| Compartments                     |                |            | 1   | 1   |
| Earthing point in cabinet        |                |            | Door, rack, cabinet                             | Door, rack, cabinet                             |
| Door earthed                     |                |            | Yes   | Yes   |
| Packing                          |                |            | Plastic   | Plastic   |
| Weight                           |                |            | 69.0  | 70.0  |
| Number per pallet                |                |            | 2   | 2   |

## Accessories

| TYPE                                   | Fan 230V 708020 | Protection grid 708017 | Thermostat 708028 | Cable for fan 708016 | 4 Wheels w. lock 737030 | EMKA key 848616 | Set of screws 737040       | 19" Shelf 737036                 |
|--|-----------------|------------------------|-------------------|----------------------|-------------------------|-----------------|----------------------------|----------------------------------|
| Part No.                               | 708020          | 708017                 | 708028            | 708016               | 737030                  | 848616          | 737040                     | 737036                           |
| Dimensions (diameter x height x depth) | mm              | mm                     | mm                | mm                   | mm                      |                 | mm                         | mm                               |
|  | 120 x 120 x 38  | Ø 115                  | 70 x 70 x 30      | 65 cm                | Ø 74 on wheels          |                 | Set of screws for 19" rack | 19" shelf for satellite receiver |
| Height unit                            | UN              |                        |                   |                      |                         |                 |                            | 2                                |
| Outer pack                             | pcs.            | 1                      | 1                 | 1                    | 4 in a set              | 1               | 10 pcs. per bag            | 1                                |



# 33SA Cabinets

## Features

- In-ground root or flanges for concrete plinth (type F)
- Safety lock, protected by teardrop
- 3-sided galvanized steel backboard
- Air slots for ample ventilation
- Lift-off lid with handle for easy access



| TYPE                              |                   | 33SA-2F                 | 33SA-3                  | 33SA-4                  | 33SA-4                  | 33SA-4F                 | 33SA-4F                 |
|-----------------------------------|-------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Partnumber                        | RAL 7037 Grey     |                         |                         |                         |                         |                         |                         |
| Partnumber                        | Triax green Green | 233203                  | 233303                  | 233411                  | 233413                  | 233415                  | 233417                  |
| Indoor/Outdoor                    |                   | Outdoor                 | Outdoor                 | Outdoor                 | Outdoor                 | Outdoor                 | Outdoor                 |
| Steel type cabinet                | mm                | 1.5 Galvanized          |
| Overall dimensions                |                   |                         |                         |                         |                         |                         |                         |
| Height outside                    | H mm              | 770                     | 770                     | 804                     | 804                     | 804                     | 804                     |
| Width outside                     | W mm              | 252                     | 332                     | 443                     | 443                     | 443                     | 443                     |
| Depth outside                     | D mm              | 211                     | 211                     | 211                     | 211                     | 211                     | 211                     |
| Mounting volume                   |                   |                         |                         |                         |                         |                         |                         |
| Height                            | mm                | 605                     | 613                     | 605                     | 605                     | 605                     | 605                     |
| Width                             | mm                | 200                     | 280                     | 380                     | 380                     | 380                     | 380                     |
| Depth                             | mm                | 144                     | 144                     | 144                     | 144                     | 144                     | 144                     |
| Backboard                         |                   |                         |                         |                         |                         |                         |                         |
| 3 sided - 1.5mm steel (Ø5.5)      | part no.          | 233209                  | 233309                  | 233408                  | 233408                  | 233408                  | 233408                  |
| 3 sided - 1.5mm steel (Star mesh) | part no.          |                         |                         | 233419                  | 233419                  | 233419                  | 233419                  |
| Lock types                        |                   |                         |                         |                         |                         |                         |                         |
| EMKA 1000-U205-01                 | part no.          | 1                       | 1                       | 1                       | 1                       | 1                       | 1                       |
| Locking system                    |                   | Single cam              |
| Lock protection                   |                   | Teardrop                | Teardrop                | Teardrop                | Teardrop                | Teardrop                | Teardrop                |
| Ventilation slots                 |                   | Louvres                 | Louvres                 | Convection              | Louvres                 | Convection              | Louvres                 |
| Top cover                         |                   | Sloped                  | Sloped                  | Sloped                  | Sloped                  | Sloped                  | Sloped                  |
| Number of doors                   |                   | 1                       | 1                       | 1                       | 1                       | 1                       | 1                       |
| Door type                         |                   | Lift off integrated top |
| Compartments                      |                   | 1                       | 1                       | 1                       | 1                       | 1                       | 1                       |
| Door earthed                      |                   | No                      | No                      | No                      | No                      | No                      | No                      |
| Earthing point in cabinet         |                   | No                      | No                      | No                      | No                      | No                      | No                      |
| Adjustable in-ground root         |                   |                         | Yes                     | Yes                     | Yes                     |                         |                         |
| Flanges for concrete plinth       |                   | Yes                     |                         |                         |                         | Yes                     | Yes                     |
| Packing                           |                   | Carton wrap             |
| Weight                            | kg                | 10.0                    | 13.0                    | 23.5                    | 23.5                    | 23.5                    | 23.5                    |
| Number per pallet                 | pcs               | 20                      | 20                      | 20                      | 20                      | 20                      | 20                      |





# 35SA CATV/Telco cabinets

## Features

- Hidden air slots giving ample ventilation
- Extended ventilation on 35SA-7 and 35SA-10
- Insulated top cover to prevent condensation
- 2 types of backboards available:
  - Water resistant chipboard
  - Water resistant chipboard clad with aluminium
- Root for in-ground installation included on all models
- Unique for installation of CATV equipment
- Brass cylinder lock
- Triangular lock on 20SA-1

Dimensioned sketches of cable cabinets with root



| TYPE                             |             |          |
|----------------------------------|-------------|----------|
| Partnumber                       | RAL 7037    | Grey     |
| Partnumber                       | Triax green | Green    |
| Indoor/Outdoor                   |             |          |
| Steel type cabinet               |             | mm       |
| Overall dimensions               |             |          |
| Height outside                   |             | H mm     |
| Width outside                    |             | W mm     |
| Depth outside                    |             | D mm     |
| Height total                     |             | A mm     |
| Mounting volume                  |             |          |
| Height                           |             | mm       |
| Width                            |             | mm       |
| Depth                            |             | mm       |
| Backboard - Part No.             |             |          |
| 10 mm chipboard                  |             | part no. |
| 16 mm chipboard                  |             | part no. |
| 10 mm chipboard w/alu            |             | part no. |
| 16 mm chipboard w/alu            |             | part no. |
| Lock types                       |             |          |
| Triangular                       |             | pcs      |
| Ruko 205                         |             | pcs      |
| Locking system                   |             |          |
| Lock protection                  |             |          |
| Ventilation slots                |             |          |
| Number of doors                  |             |          |
| Door type                        |             |          |
| Compartments                     |             |          |
| Door earthed                     |             |          |
| Earthing point in cabinet        |             |          |
| Condensation (block of woolpath) |             |          |
| In-ground root                   |             |          |
| Packing                          |             |          |
| Weight                           |             | kg       |
| Number per pallet                |             | pcs      |



| 20SA-1MP                 | 35SA-2R                       | 35SA-2.5R                     | 35SA-3R                       | 35SA-4R                       | 35SA-6R                       | 35SA-7R                           | 35SA-10R                          |
|--------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------------|-----------------------------------|
| 161115                   | 235201                        | 235251                        | 235301                        | 235401                        | 235601                        | 235701                            | 235801                            |
| 161116                   | 235205                        | 235255                        | 235305                        | 235405                        | 235605                        | 235706                            | 235806                            |
| Outdoor                  | Outdoor                       | Outdoor                       | Outdoor                       | Outdoor                       | Outdoor                       | Outdoor                           | Outdoor                           |
| 1.5 Galvanized           | 1.5 Galvanized                | 1.5 Galvanized                | 1.5 Galvanized                | 1.5 Galvanized                | 1.5 Galvanized                | 1.5 Galvanized                    | 1.5 Galvanized                    |
| 600<br>140<br>90<br>1300 | 600<br>263<br>107<br>1300     | 700<br>297<br>165<br>1375     | 700<br>353<br>173<br>1400     | 700<br>530<br>173<br>1400     | 700<br>563<br>213<br>1400     | 1020<br>650<br>253<br>1720        | 1020<br>1100<br>253<br>1720       |
| 490<br>120<br>70         | 490<br>250<br>92              | 600<br>280<br>135             | 600<br>340<br>158             | 600<br>470<br>158             | 600<br>540<br>198             | 666<br>600<br>230                 | 666<br>1050<br>230                |
| 161180<br>161183         | 161820<br>161823              | 161825<br>161828              | 161830<br>161833              | 161840<br>161843              | 161860<br>161863              | 161790<br>161793                  | 161090<br>161093                  |
| 1                        | 1                             | 1                             | 1                             | 1                             | 1                             | 2<br>1                            | 2<br>1                            |
| Single cam<br>None       | Single cam<br>Protection flap | 2 x Single cam<br>Protection flap | 2 x Single cam<br>Protection flap |
| Front<br>1               | Front<br>1                    | Front<br>1                    | Front<br>1                    | Front<br>1                    | Front<br>1                    | Louvres<br>1                      | Louvres<br>2                      |
| Lift off<br>1            | Lift off<br>1                 | Lift off<br>1                 | Lift off<br>1                 | Lift off<br>1                 | Lift off<br>1                 | Hinged<br>1                       | Hinged<br>1                       |
| No<br>No<br>Yes          | No<br>Yes<br>Yes              | No<br>Yes<br>Yes              | No<br>Yes<br>Yes              | No<br>Yes<br>Yes              | No<br>Yes<br>Yes              | No<br>Yes<br>Yes                  | No<br>Yes<br>Yes                  |
| Included                 | Included                      | Included                      | Included                      | Included                      | Included                      | Included                          | Included                          |
| Carton box<br>9.2<br>25  | Carton box<br>12.0<br>24      | Carton box<br>15.6<br>14      | Carton box<br>17.2<br>12      | Carton box<br>23.0<br>8       | Carton box<br>27.0<br>7       | Carton box<br>54.0<br>4           | Carton box<br>83.0<br>3           |




# KIOSK 530

Triax Kiosk 530 is designed for the new generation of communication equipment.

## Features

- Pitched roof
- Rigid construction
- Unique for installation of CATV and TELCO products
- Lock extra protected by a teardrop
- Cabinet fully earthed
- Backboards available in various materials
- Available with lift off door (530) and hinged door (530H)




| TYPE                           |                   | Kiosk 530      | Kiosk 530H                      | Kiosk 530H                      |
|--------------------------------|-------------------|----------------|---------------------------------|---------------------------------|
| Partnumber                     | RAL 7037 Grey     | 232050         | 232054                          |                                 |
| Partnumber                     | Triax green Green | 232051         |                                 | 232056                          |
| Indoor/Outdoor                 |                   | Outdoor        | Outdoor                         | Outdoor                         |
| Steel type cabinet             | mm                | 1.5 Galvanized | 1.5 Galvanized                  | 1.5 Galvanized                  |
| Overall dimensions             |                   |                |                                 |                                 |
| Height outside                 | H mm              | 985            | 985                             | 985                             |
| Width outside                  | W mm              | 530            | 530                             | 530                             |
| Depth outside                  | D mm              | 315            | 315                             | 315                             |
| Mounting volume                |                   |                |                                 |                                 |
| Height                         | mm                | 805            | 805                             | 805                             |
| Width                          | mm                | 440            | 440                             | 440                             |
| Depth                          | mm                | 285            | 285                             | 285                             |
| Backboard                      |                   |                |                                 |                                 |
| 10 mm chipboard                | part no.          | 164050         | 164050                          |                                 |
| 1.5 mm steel (Ø5.5)            | part no.          |                |                                 | 232057                          |
| 1.5 mm steel (Star mesh)       | part no.          | 725055         | 725055                          |                                 |
| Lock types                     |                   |                |                                 |                                 |
| - EMKA 1000-U205-01            | pcs               | 1              | 1                               | 1                               |
| - Ruko 205                     | pcs               |                |                                 |                                 |
| Locking system                 |                   | Single cam     | 3 point security locking system | 3 point security locking system |
| Lock protection                |                   | Teardrop       | Teardrop                        | Teardrop                        |
| Ventilation slots              |                   | Yes            | Yes                             | Yes                             |
| Top cover/roof                 |                   | Pitched        | Pitched                         | Pitched                         |
| Number of doors                |                   | 1              | 1                               | 1                               |
| Door type                      |                   | Lift off       | Hinged                          | Hinged                          |
| Compartments                   |                   | 1              | 1                               | 1                               |
| Door earthed                   |                   | Yes            | Yes                             | Yes                             |
| Earthing point in cabinet      |                   | Yes bottom     | Yes bottom                      | Yes bottom                      |
| In-ground root                 |                   |                |                                 |                                 |
| - part no.                     | Grey              | 232354         | 232354                          | 232354                          |
| - part no.                     | Green             | 232355         | 232355                          | 232355                          |
| Root for embedding in concrete |                   |                |                                 |                                 |
| - part no.                     | Grey              | 232350         | 232350                          | 232350                          |
| - part no.                     | Green             | 232351         | 232351                          | 232351                          |
| Packing                        |                   | Carton box     | Carton box                      | Carton box                      |
| Weight                         | kg                | 38.0           | 45.0                            | 45.0                            |
| Number per pallet              | pcs               | 4              | 4                               | 4                               |

# KIOSK 760

Triax Kiosk 760 is available with a single lift off door or 2 hinged doors (type H). In-ground root or root for embedding in concrete.

## Features

- Pitched roof
- Rigid construction
- Unique for installation of CATV and TELCO products
- 3-point security locking system
- Lock extra protected by a teardrop
- Adequate ventilation
- Cabinet fully earthed
- Backboards available in various materials



| TYPE                           |             |          | Kiosk 760                       | Kiosk 760H (ETSI rack)                |
|--------------------------------|-------------|----------|---------------------------------|---------------------------------------|
| Partnumber                     | RAL 7037    | Grey     | 232070                          |                                       |
| Partnumber                     | Triax green | Green    | 232071                          | 232073                                |
| Indoor/Outdoor                 |             |          | Outdoor                         | Outdoor                               |
| Steel type cabinet             |             | mm       | 1.5 Galvanized                  | 1.5 Galvanized                        |
| Overall dimensions             |             |          |                                 |                                       |
| Height outside                 |             | H mm     | 985                             | 985                                   |
| Width outside                  |             | W mm     | 760                             | 760                                   |
| Depth outside                  |             | D mm     | 310                             | 310                                   |
| Mounting volume                |             |          |                                 |                                       |
| Height                         |             | mm       | 800                             | 800                                   |
| Width                          |             | mm       | 665                             | 665                                   |
| Depth                          |             | mm       | 285                             | 285                                   |
| Backboard                      |             |          |                                 |                                       |
| 10 mm chipboard                |             | part no. | 164070                          | 164070                                |
| 1.5 mm steel (Ø5.5)            |             | part no. |                                 |                                       |
| 1.5 mm steel (Star mesh)       |             | part no. | 725073                          | 725073                                |
| Lock types                     |             |          |                                 |                                       |
| - EMKA 1000-U205-01            |             | pcs      | 1                               |                                       |
| - Ruko 205                     |             | pcs      | 1                               |                                       |
| - Euro cylinder lock           |             | pcs      |                                 | 1                                     |
| Locking system                 |             |          | 3 point security locking system | Swing handle w. 3 point security lock |
| Lock protection                |             |          | Teardrop                        | Incl. in handle                       |
| Ventilation slots              |             |          | Yes                             | Yes                                   |
| Top cover/roof                 |             |          | Pitched                         | Pitched                               |
| Number of doors                |             |          | 1                               | 2                                     |
| Door type                      |             |          | Lift off                        | Hinged                                |
| Compartments                   |             |          | 1                               | 1                                     |
| Door earthed                   |             |          | Yes                             | Yes                                   |
| Earthing point in cabinet      |             |          | Yes                             | Yes                                   |
| In-ground root                 |             |          |                                 |                                       |
| - part no.                     |             | Grey     | 232374                          | 232374                                |
| - part no.                     |             | Green    | 232375                          | 232375                                |
| Root for embedding in concrete |             |          |                                 |                                       |
| - part no.                     |             | Grey     | 232370                          | 232370                                |
| - part no.                     |             | Green    | 232371                          | 232371                                |
| Packing                        |             |          | Plastic                         | Plastic                               |
| Weight                         |             | kg       | 51.0                            | 52.0                                  |
| Number per pallet              |             | pcs      | 3                               | 3                                     |



# KIOSK 800


Triax Kiosk 800 is available in 2 versions. One as **HUB** with extra depth and one as **DP**.

## Features


- Pitched roof
- Rigid construction
- Unique for installation of CATV and TELCO products
- 3-point security locking system
- Lock extra protected by a teardrop
- Adequate ventilation
- Cabinet fully earthed
- Backboards available in various materials



**Kiosk 800HUB**



**Kiosk 800DP**





| TYPE                                   |             |          | Kiosk 800DP                     | Kiosk 800HUB                    |
|--|-------------|----------|---------------------------------|---------------------------------|
| Partnumber                             | RAL 7037    | Grey     |                                 | 232531                          |
| Partnumber                             | Triax green | Green    | 232500                          | 232530                          |
| Indoor/Outdoor                         |             |          | Outdoor                         | Outdoor                         |
| Steel type Cabinet                     |             | mm       | 1.5 Galvanized                  | 1.5 Galvanized                  |
| Overall dimensions                     |             |          |                                 |                                 |
| Height outside                         | H           | mm       | 1050                            | 1070                            |
| Width outside                          | W           | mm       | 805                             | 805                             |
| Depth outside                          | D           | mm       | 352                             | 462                             |
| Mounting volume                        |             |          |                                 |                                 |
| Height                                 |             | mm       | 800                             | 800                             |
| Width                                  |             | mm       | 710                             | 710                             |
| Depth                                  |             | mm       | 280                             | 390                             |
| Backboard                              |             |          |                                 |                                 |
| 10 mm chipboard                        |             | part no. |                                 |                                 |
| 1.5 mm steel (Ø5.5)                    |             | part no. |                                 |                                 |
| 1.5 mm steel (Star mesh)               |             | part no. | 232511                          | 232511                          |
| Lock types                             |             |          |                                 |                                 |
| - EMKA 1000-U205-01                    |             | pcs      | 1                               | 1                               |
| Locking system                         |             |          | 3 point security locking system | 3 point security locking system |
| Lock protection                        |             |          | Teardrop                        | Teardrop                        |
| Ventilation slots                      |             |          | Yes                             | Yes                             |
| Top cover/roof                         |             |          | Pitched/Hinged                  | Pitched/Hinged                  |
| Number of doors                        |             |          | 2                               | 2                               |
| Door type                              |             |          | Hinged                          | Hinged                          |
| Compartments                           |             |          | 2                               | 2                               |
| Door earthed                           |             |          | Yes                             | Yes                             |
| Earthing point in cabinet              |             |          | Yes                             | Yes                             |
| Flange for mounting on concrete plinth |             |          |                                 |                                 |
| - part no.                             |             | Grey     | Included                        | Included                        |
| - part no.                             |             | Green    | Included                        | Included                        |
| Packing                                |             |          | Plastic                         | Plastic                         |
| Weight                                 |             | kg       | 80.0                            | 80.0                            |
| Number per pallet                      |             | pcs      | 2                               | 2                               |

# KIOSK 1100

Triax Kiosk 1100 is available with hinged doors and geartray in the roof. Left handside compartment for extra space. Flanges for concrete plinth.

## Features

- Rigid construction
- Unique for installation of CATV and TELCO products
- Concealed hinges
- Stay hook
- 3-point security locking system
- Lock extra protected by a teardrop
- Pitched roof, easy to open
- Geartray in the top
- Doors can be removed without use of tools
- Adequate ventilation
- Cabinet fully earthed
- Backboards available in various materials
- 19" rack available



| TYPE                                  |                   | Kiosk 1100                      |  |
|---------------------------------------|-------------------|---------------------------------|--|
| Partnumber                            | RAL 7037 Grey     |                                 |  |
| Partnumber                            | Triax green Green | 232560                          |  |
| Indoor/Outdoor                        |                   | Outdoor                         |  |
| Overall dimensions                    |                   |                                 |  |
| Height outside                        | H mm              | 1070                            |  |
| Width outside                         | W mm              | 1105                            |  |
| Depth outside                         | D mm              | 462                             |  |
| Mounting volume                       |                   |                                 |  |
| Height - Main/Side L                  | mm                | 800/800                         |  |
| Width - Main/Side L                   | mm                | 710/330                         |  |
| Depth - Main/Side L                   | mm                | 390/245                         |  |
| Backboard - Main/Side L               |                   |                                 |  |
| 10 mm chip board                      | part no.          |                                 |  |
| 1.5 mm steel (Ø5.5)                   | part no.          |                                 |  |
| 1.5 mm steel (Star mesh)              | part no.          | 232511/232571                   |  |
| 19" rack (UN 16)                      | part no.          | 232515/ -                       |  |
| Steel type cabinet                    | mm                | 1.5 Galvanized                  |  |
| Lock types                            |                   |                                 |  |
| - EMKA 1000-U205-01                   | pcs               | main 1/side 1                   |  |
| - Ruko 205                            | pcs               | main 0/side 1                   |  |
| Locking system                        |                   | 3 point security locking system |  |
| Lock protection                       |                   | Teardrop                        |  |
| Ventilation slots                     |                   | Yes (main)                      |  |
| Top cover/roof                        |                   | Pitched/Hinged                  |  |
| Number of doors                       |                   | 3                               |  |
| Door type                             |                   | Hinged                          |  |
| Compartments                          |                   | 3                               |  |
| Door earthed                          |                   | Yes                             |  |
| Earthing point in cabinet             |                   | 2 bottom                        |  |
| Flange for mounting on concrete plint |                   | Included                        |  |
| Packing                               |                   | Plastic                         |  |
| Weight                                | kg                | 130.0                           |  |
| Number per pallet                     | pcs               | 2                               |  |



# KIOSK 1200


Triax Kiosk 1200 is available with hinged doors or lift off lid, 3-point security locking system and lots of other features.




## Features

- Pitched roof
- Rigid construction
- Unique for installation of CATV and TELCO products
- Concealed hinges
- 3-point security locking system
- Stay hook on both doors
- Safety lock and cylinder lock protected by double teardrop
- Adequate ventilation
- 2 different root types available
  - in-ground root
  - root to be embedded in concrete
- Cabinet fully earthed
- Backboards available in various materials

**Kiosk 1200**



**Kiosk 1200L**



| TYPE                           |                   | Kiosk 1200                      | Kiosk 1200 L                    |
|--------------------------------|-------------------|---------------------------------|---------------------------------|
| Partnumber                     | RAL 7037 Grey     |                                 | 232215                          |
| Partnumber                     | Triax green Green | 232221                          |                                 |
| Indoor/Outdoor                 |                   | Outdoor                         | Outdoor                         |
| Overall dimensions             |                   |                                 |                                 |
| Height outside                 | H mm              | 985                             | 985                             |
| Width outside                  | W mm              | 1200                            | 1200                            |
| Depth outside                  | D mm              | 310                             | 310                             |
| Mounting volume                |                   |                                 |                                 |
| Height                         | mm                | 810                             | 810                             |
| Width                          | mm                | 1125                            | 1100                            |
| Depth                          | mm                | 285                             | 285                             |
| Backboard -                    |                   |                                 |                                 |
| 10 mm chipboard                | part no.          | 232230 + 232231                 | 232216                          |
| 1.5 mm steel (Ø5.5)            | part no.          |                                 |                                 |
| 1.5 mm steel (Star mesh)       | part no.          |                                 |                                 |
| 18 mm plywood                  | part no.          |                                 |                                 |
| Steel type cabinet             | mm                | 2.0 Galvanized                  | 2.0 Galvanized                  |
| Lock types                     |                   |                                 |                                 |
| - EMKA 1000-U205-01            | pcs               | 1                               | 1                               |
| - Ruko 205                     | pcs               | 1                               | 1                               |
| Locking system                 |                   | 3-point security locking system | 3-point security locking system |
| Lock protection                |                   | Double teardrop                 | Double teardrop                 |
| Ventilation slots              |                   | Yes                             | Yes                             |
| Top cover/roof                 |                   | Pitched                         | Pitched                         |
| Number of doors                |                   | 2                               | 1                               |
| Door type                      |                   | Hinged                          | Lift off                        |
| Compartments                   |                   | 1                               | 1                               |
| Door earthed                   |                   | Yes                             | Yes                             |
| Earthing point in cabinet      |                   | Yes                             | Yes                             |
| In-ground root                 |                   |                                 |                                 |
| - part no.                     | Grey              | 232225                          | 232225                          |
| - part no.                     | Green             | 232226                          | 232226                          |
| Root for embedding in concrete |                   |                                 |                                 |
| - part no.                     | Grey              | 232227                          | 232227                          |
| - part no.                     | Green             |                                 |                                 |
| Packing                        |                   | Plastic                         | Plastic                         |
| Weight                         | kg                | 90.0                            | 90.0                            |
| Number per pallet              | pcs               | 2                               | 2                               |

# KIOSK 1300 and 1380


Triax Kiosk 1300 is available with hinged doors, 3 point security lock and lots of other features.

## Features


- Rigid construction
- Unique for installation of CATV and TELCO products
- Concealed hinges
- Stay hook
- 3-point security locking system
- Lock extra protected by a teardrop
- Pitched roof
- Doors can be removed without use of tools
- Adequate ventilation
- Cabinet fully earthed
- Backboards available in various materials



Kiosk 1300



Kiosk 1380



| TYPE                                   |                   | Kiosk 1300                      | Kiosk 1380                      |
|--|-------------------|---------------------------------|---------------------------------|
| Partnumber                             | RAL 7037 Grey     | 232130                          |                                 |
| Partnumber                             | Triax green Green |                                 | 232580                          |
| Indoor/Outdoor                         |                   | Outdoor                         | Outdoor                         |
| Overall dimensions                     |                   |                                 |                                 |
| Height outside                         | H mm              | 985                             | 1055                            |
| Width outside                          | W mm              | 1300                            | 1380                            |
| Depth outside                          | D mm              | 310                             | 335                             |
| Mounting volume                        |                   |                                 |                                 |
| Height                                 | mm                | 740                             | 880                             |
| Width                                  | mm                | 1100                            | 1260                            |
| Depth                                  | mm                | 285                             | 300                             |
| Backboard -                            |                   |                                 |                                 |
| 10 mm chipboard                        | part no.          | 164130                          |                                 |
| 1.5 mm steel (Ø5.5)                    | part no.          |                                 | 232581                          |
| 1.5 mm steel (Star mesh)               | part no.          |                                 |                                 |
| Steel type cabinet                     | mm                | 2.0 Galvanized                  | 2.0 Galvanized                  |
| Lock types                             |                   |                                 |                                 |
| - EMKA 1000-U205-01                    | pcs               | 1                               | 1                               |
| - Ruko 205                             | pcs               | 1                               |                                 |
| Locking system                         |                   | 3 point security locking system | 3 point security locking system |
| Lock protection                        |                   | Double teardrop                 | Teardrop                        |
| Ventilation slots                      |                   | Yes                             | Yes                             |
| Top cover/roof                         |                   | Pitched                         | Pitched                         |
| Number of doors                        |                   | 2                               | 2                               |
| Door type                              |                   | Hinged                          | Hinged                          |
| Compartments                           |                   | 1                               | 1                               |
| Door earthed                           |                   | Yes                             | Yes                             |
| Earthing point in cabinet              |                   | Yes                             | Yes                             |
| In-ground root                         |                   |                                 |                                 |
| - part no.                             | Grey              | 232137                          |                                 |
| - part no.                             | Green             |                                 |                                 |
| Root for embedded in concrete          |                   |                                 |                                 |
| - part no.                             | Grey              | 232330                          |                                 |
| - part no.                             | Green             |                                 |                                 |
| Flange for mounting on concrete plinth |                   |                                 | Included                        |
| Packing                                |                   | Plastic                         | Plastic                         |
| Weight                                 | kg                | 96.5                            | 95.0                            |
| Number per pallet                      | pcs               | 2                               | 2                               |





# KIOSK 1400 and 1420

Triax Kiosk 1400 is available in 3 versions. One as standard, one as type **HU** with extra height for more mounting space and 1420 with even more features.



## Features

- Pitched roof
- Rigid construction
- Unique for installation of CATV and TELCO products
- Three-point security locking system
- Stay hook on all doors
- Safety lock and cylinder lock protected by single and double teardrop
- Adequate ventilation
- Built-in fan (Kiosk 1400 only)
- Different roof types available
- Doors prepared for intruder alarm
- Cabinet fully earthed
- Several combinations of backboards, available in various materials, and shelves



| Internal Equip. (Included) | 1400 | 1400 HU | 1420    |
|----------------------------|------|---------|---------|
| Shelves                    | 1    | -       | 4       |
| Fans                       | 1    | -       | -       |
| Backboard                  |      |         |         |
| Main                       | 2    |         |         |
| Side Left                  | 1    |         |         |
| Side Right                 |      |         | shelves |


| TYPE                                   | Kiosk 1400                      | Kiosk 1400HU                    | Kiosk 1420                      |
|--|---------------------------------|---------------------------------|---------------------------------|
| Partnumber RAL 7037 Grey               |                                 |                                 |                                 |
| Partnumber Triax green Green           | 232241                          | 232243                          | 232564                          |
| Indoor/Outdoor                         | Outdoor                         | Outdoor                         | Outdoor                         |
| Overall dimensions                     |                                 |                                 |                                 |
| Height outside H mm                    | 1000                            | 1400                            | 1140                            |
| Width outside W mm                     | 1400                            | 1400                            | 1420                            |
| Depth outside D mm                     | 388                             | 388                             | 445                             |
| Mounting vol. - side L/main/side R     |                                 |                                 |                                 |
| Height mm                              | 750/740/-                       | 1150/1210/-                     | 880/880/880                     |
| Width mm                               | 300/1000/-                      | 300/1100/-                      | 330/770/330                     |
| Depth mm                               | 155/345/-                       | 155/345/-                       | 270/410/200                     |
| Backboard - side L/main/side R         |                                 |                                 |                                 |
| 10 mm chipboard part no.               |                                 |                                 |                                 |
| 1.5 mm steel (Ø5.5) part no.           | -/232230/-                      | 232248/2 x 232249/-             | 232526/232525/shelves           |
| 1.5 mm steel (Star mesh) part no.      |                                 |                                 |                                 |
| Steel type cabinet mm                  | 2.0 Galvanized                  | 2.0 Galvanized                  | 2.0 Galvanized                  |
| Lock types - side L/main/side R        |                                 |                                 |                                 |
| - EMKA 1000-U205-01 pcs                | 1/1/-                           | 1/1/-                           | 1/1/1                           |
| - Ruko 205 pcs                         | 0/1/-                           | 0/1/-                           | 1/0/1                           |
| Locking system                         | 3 point security locking system | 3 point security locking system | 3 point security locking system |
| Lock protection                        | Teardrop                        | Teardrop                        | Teardrop                        |
| Ventilation slots                      | Yes                             | Yes                             | Yes                             |
| Top cover/roof                         | Pitched                         | Pitched                         | Pitched                         |
| Number of doors                        | 3                               | 3                               | 4                               |
| Door type                              | Hinged                          | Hinged                          | Hinged                          |
| Compartments                           | 2                               | 2                               | 3                               |
| Door earthed                           | Yes                             | Yes                             | Yes                             |
| Earthing point in cabinet              | Yes                             | Yes                             | Yes                             |
| In-ground root                         |                                 |                                 |                                 |
| - part no. Grey                        |                                 |                                 |                                 |
| - part no. Green                       |                                 |                                 |                                 |
| Root for embedded in concrete          |                                 |                                 |                                 |
| - part no. Grey                        |                                 |                                 |                                 |
| - part no. Green                       | 232247                          |                                 |                                 |
| Flange for mounting on concrete plinth |                                 | Included                        | Included                        |
| Packing                                | Plastic                         | Plastic                         | Plastic                         |
| Weight kg                              | 124.0                           | 124.0                           | 192.0                           |
| Number per pallet pcs                  | 2                               | 2                               | 2                               |

# KIOSK 700

Triax Kiosk 700 is available with different mounting systems such as 19" racking, shelves or with different types of backboards.

## Features

- Flexible enclosure for CATV, TELCO, e.g. CCTV and traffic regulation equipment
- Pitched roof
- Rigid construction
- Swing handle with cylinder lock combined with 3-point security locking system
- Flanges for mounting on concrete plinth
- Doors can be removed without use of tools
- Prepared for fitting of fan
- Cabinet fully earthed
- 19" rack and backboard possible at the same time
- Shelves and backboard possible at the same time



## Accessories

| TYPE                                   | Fan 230V       | Protection grid | Thermostat   | Cable for fan       |
|--|----------------|-----------------|--------------|---------------------|
| Part No.                               | 708020         | 708017          | 708028       | 708016              |
| Dimensions (diam. x height x depth) mm | 120 x 120 x 38 | Ø 115           | 70 x 70 x 30 | Cable for fan 65 cm |
| Height unit                            | UN             |                 |              |                     |
| Outer pack                             | pcs. 1         | 1               | 1            | 1                   |



| TYPE                                   | Plate for fan | Set of screws              | 19" Shelf |
|--|---------------|----------------------------|-----------|
| Part No.                               | 232178        | 737040                     | 737036    |
| Dimensions (diam. x height x depth) mm |               | Set of screws for 19" rack | 19" shelf |
| Height unit                            | UN            |                            | 2         |
| Outer pack                             | pcs. 1        | 10 pcs. per bag            | 1         |



| TYPE                      | Kiosk 700         |                                       |
|---------------------------|-------------------|---------------------------------------|
| Partnumber                | RAL 7037 Grey     | 232172                                |
| Partnumber                | Triax green Green | 232171                                |
| Indoor/Outdoor            |                   | Outdoor                               |
| Overall dimensions        |                   |                                       |
| Height outside            |                   | 1300                                  |
| Width outside             |                   | 700                                   |
| Depth outside             |                   | 500                                   |
| Mounting volume           |                   |                                       |
| Height                    |                   | 1075                                  |
| Width                     |                   | 575                                   |
| Depth                     |                   | 460                                   |
| Backboard                 |                   |                                       |
| 10 mm chipboard           | part no.          | 232179                                |
| 1.5 mm steel (Ø5.5)       | part no.          |                                       |
| 1.5 mm steel (Star mesh)  | part no.          |                                       |
| 19" rack (UN 24)          | part no.          | 232177                                |
| Shelves (1 pcs)           | part no.          | 725173                                |
| Steel type cabinet        | mm                | 2.0 Galvanized                        |
| Lock types                |                   |                                       |
| Euro cylinder lock        | pcs               | 1                                     |
| Locking system            |                   | Swing handle w. 3 point security lock |
| Lock protection           |                   | Incl. in handle                       |
| Ventilation slots         |                   | Yes - Fan as option                   |
| Top cover/roof            |                   | Pitched                               |
| Number of doors           |                   | 1                                     |
| Door type                 |                   | Hinged                                |
| Compartments              |                   | 1                                     |
| Door earthed              |                   | Yes                                   |
| Earthing point in cabinet |                   | Yes                                   |
| Low base for concrete     |                   |                                       |
| - part no.                | Grey              | 232174                                |
| - part no.                | Green             | 232173                                |
| In-ground root            |                   |                                       |
| - part no.                | Grey              | 232184                                |
| - part no.                | Green             | 232183                                |
| Packing                   |                   | Plastic                               |
| Weight                    | kg                | 62.0                                  |
| Number per pallet         | pcs               | 2                                     |



# Backboards

For our various types of enclosures we can supply many different types of backboards, chipboard, chipboard clad with aluminium, water resistant chipboard, plywood and different forms of steel backboards.




**Water resistant chipboard**




**Chipboard clad with aluminium**  
Water resistant chipboard clad with a 0.5 mm aluminium sheet, for easy earthing of equipment.



**Plywood**  
Water resistant and strong plywood backboard.




**Galvanized steel board**  
1.5 mm galvanized steel with Ø 5.5 mm hole pattern.




**Galvanized steel board**  
1.5 mm galvanized steel with star mesh hole pattern.


## Roots



**Flange direct on cabinet**  
Some of our cabinets have integrated flange for mounting directly on a concrete plinth.



**Short root for embedding in concrete**  
Available for some cabinet types.



**Long root for in-ground installation**  
Available for some cabinet types.

# L

# ocking system

For our various types of enclosures we can supply many different types of locking systems.

All cabinets and enclosures, except the indoor wall cabinets type 66 and I-VI, will be delivered with a lock, but you must remember to order the key separately.



Triangular lock



Ruko 205 lock (small Ruko)



Ruko 207 lock (large Ruko)



EMKA 1000-XX lock  
Normal turn type.



EMKA 1000-U205-01 lock  
Security push and turn type.

Plastic housing  
for indoor wall  
cabinets type 66  
and I-VI



Ruko 205



Triangular



Ruko 207



**Key Set - Part No. 232000**  
3 different TRIAX keys (1+2+3)  
together in one bag.

Keys can also be ordered  
separately:

| No. | Part No. | Type                |
|-----|----------|---------------------|
| 1   | 225921   | Kombi key           |
| 2   | 225920   | Ruko key            |
| 3   | 848616   | EMKA key            |
| 4   | 848610   | TN 1 Triangular key |



4




Single  
teardrop



Double  
teardrop



Single cam lock protection



3 point security locking system

# Thinking one step ahead...

Triax's philosophy is customer-orientation: In both our markets, TV-systems and enclosures, our objective is to save time and trouble for the installers, operators and distributors building their business on our products.

Simplicity and support are key words, expressed both in products and in service.

Our products offer more in performance and simplifying logic, and in our support customers have easy access to understandable, useful and competent answers.

Innovative thinking, service oriented people and advanced technology has made Triax one of the leading European suppliers of both TV-systems and enclosures.

We offer everything that can be expected from a professional supplier within these fields.

Triax is of course ISO 9001:2000 certified and delivers products according to all acknowledged local and international quality standards.

## **TRIAX A/S**

**Bjørnkærvej 3**

**DK - 8783 Hornsyld**

**Tel.: +45 76 82 22 00**

**Fax: +45 75 68 79 66**

**mail: [triax@triax.dk](mailto:triax@triax.dk)**

**[www.triax.com](http://www.triax.com)**

Simply **more**  
- more simply

